



BRANDT

SUPERIOR ALLOY WHEELS

MACHINED | POLISHED | CERAMIC | CHROME



WWW.BRANDT.CO.NZ

Experience the Performance • Discover the Value



Unlock the Possibilities with Brandt's Wheel Finishes

Welcome to the world of Brandt Wheels, where quality, style, and affordability converge. Our range of wheel finishes is designed to cater to your diverse needs, making us your go-to choice for premium wheels. Explore the excellence that defines Brandt:

CHROME: Unparalleled Durability and Style

Brandt Chrome wheels redefine durability and style for trucks and trailers. Engineered to withstand the harshest conditions, our Brandt Chrome wheels offer unparalleled resistance to corrosion. No matter the weather or terrain, these wheels continue to shine. Their easy-to-clean surface minimizes maintenance time, keeping your fleet on the move and making a statement on the road.

CERAMIC: The Future of Wheel Protection

Brandt Ceramic is the latest advancement in coating technology. Our clear, nano-ceramic coating chemically bonds to the surface of the wheel, creating a rigid, super-slick top layer. This innovative coating allows for easy cleaning without the need for harsh detergents. Brandt Ceramic has an impressive ability to repel water, dirt, mud, and water-based contaminants, ensuring your wheels look pristine in any condition.

POLISHED: The Shining Star

Brandt premium alloy wheels give you the best of both worlds: sophistication at an affordable price. Thanks to the dual-sided polished finish that maintains the shine with a breeze.

MACHINED: The Efficiency Expert

Brandt machined alloy wheels are for those focused on reducing fuel consumption and increasing payload capacity. These wheels are the practical choice for optimizing your vehicle's performance. Use them on the inner wheel or as your spare for an efficient and cost-effective journey.



16" x 5.5"

PCD: 208mm x 5 holes Ø32mm
Offset: Inset 106 / Outset 124
Centre Hole: Ø150mm
Wheel Finish: Both Sides Polished
Weight: 10kg
Max Load: 1285kg

SKU: 165208-5BP



17.5" x 6"

PCD: 225mm x 10 holes Ø26mm
Offset: Inset 116 / Outset 135
Centre Hole: Ø176mm
Wheel Finish: Both Sides Polished / Machined
Weight: 13.7kg
Max Load: 2100kg

SKU: 17626-10IP / 17626-10MF



17.5" x 6"

PCD: 205mm x 10 holes Ø26mm
Offset: Inset 114 / Outset 135
Centre Hole: Ø161mm
Wheel Finish: Both Sides Polished
Weight: 12.9kg
Max Load: 2200kg

SKU: 176205-6BP



17.5" x 6.75"

PCD: 222.25mm x 6 holes Ø32mm (Budd)
Offset: Inset 120 / Outset 140
Centre Hole: Ø164mm
Wheel Finish: Both Sides Polished
Weight: 13.9kg
Max Load: 2500kg

SKU: 176222-6BP



17.5" x 6.75"

PCD: 225mm x 10 holes Ø26mm
Offset: Inset 120 / Outset 140
Centre Hole: Ø176mm
Wheel Finish: Inside Polished / Machined
Weight: 13.7kg
Max Load: 2500kg

SKU: 1726-10IP / 1726-10MF



17.5" x 6.75"

PCD: 225mm x 6 holes Ø26mm
Offset: Inset 120 / Outset 140
Centre Hole: Ø176mm
Wheel Finish: Both Sides Polished
Weight: 13.9kg
Max Load: 2500kg

SKU: 1726-6BP



17.5" x 6.75"

PCD: 275mm x 8 holes Ø26mm
Offset: Inset 120 / Outset 140
Centre Hole: Ø221mm
Wheel Finish: Inside Polished
Weight: 13.7kg
Max Load: 2500kg

SKU: 1726-8IP





19.5" x 6"

PCD: 222.25mm x 6 holes Ø32mm (Budd)
Offset: Inset 141 / Outset 120
Centre Hole: Ø164mm
Wheel Finish: Both Sides Polished
Weight: 18.2kg
Max Load: 2750kg

SKU: 1932-6BP222



19.5" x 7.5"

PCD: 275mm x 8 holes Ø24mm
Offset: Inset 135 / Outset 155
Centre Hole: Ø221mm
Wheel Finish: Both Sides Polished / Machined
Weight: 18.3kg
Max Load: 3000kg

SKU: 1924-8BP / 1924-8MF



19.5" x 7.5"

PCD: 275mm x 8 holes Ø32mm
Offset: Inset 135 / Outset 155
Centre Hole: Ø221mm
Wheel Finish: Both Sides Polished / Machined
Weight: 18.2kg
Max Load: 3000kg

SKU: 1932-8BP / 1932-8MF



19.5" x 7.5"

PCD: 285mm x 10 holes Ø26mm
Offset: Inset 135 / Outset 155
Centre Hole: Ø220.1mm
Wheel Finish: Inside Polished / Machined
Weight: 18.1kg
Max Load: 3000kg

SKU: 1926-10BP / 1926-10MF

22.5" x 7.5"

PCD: 275mm x 8 holes Ø26mm
Offset: Inset 135 / Outset 159
Centre Hole: Ø221mm
Wheel Finish: Both Sides Polished
Weight: 22kg
Max Load: 3450kg

SKU: 227-275-8BP



22.5" x 8.25"

PCD: 275mm x 8 holes Ø32mm
Offset: Inset 145 / Outset 168
Centre Hole: Ø221mm
Wheel Finish: Both Sides Polished
Weight: 22.8kg
Max Load: 3450kg

SKU: 228-275-8BP



22.5" x 8.25"

PCD: 285mm x 8 holes Ø32mm
Offset: Inset 145 / Outset 168
Centre Hole: Ø221mm
Wheel Finish: Both Sides Polished
Weight: 22.8kg
Max Load: 3450kg

SKU: 228-285-8BP





22.5" x 8.25"

PCD: 285mm x 10 holes Ø26mm
Offset: Inset 145 / Outset 168
Centre Hole: Ø221mm
Wheel Finish: Both Sides Polished
Weight: 22kg
Max Load: 3450kg

SKU: 2282-26-10BP



22.5" x 8.25"

PCD: 335mm x 10 holes Ø26mm
Offset: Inset 145 / Outset 168
Centre Hole: Ø281.2mm
Wheel Finish: Both Sides Polished
Weight: 22.2kg
Max Load: 3450kg


SKU: 2283-26-10BP



22.5" x 8.25"

PCD: 335mm x 10 holes Ø32mm
Offset: Inset 145 / Outset 168
Centre Hole: Ø281.2mm
Wheel Finish: Both Sides Polished
Weight: 22kg
Max Load: 3450kg

SKU: 2283-32-10BP




22.5" x 9"

PCD: 335mm x 10 holes Ø26mm
Offset: Inset 145 / Outset 176
Centre Hole: Ø281.2mm
Wheel Finish: Both Sides Polished
Max Load: 3850kg

SKU: 2293-26-10BP




22.5" x 9" OFFSET



PCD: 285.75mm x 10 holes Ø26mm
Offset: Inset 79 / Outset 103
Centre Hole: Ø220mm
Wheel Finish: Outside Polished
Max Load: 4125kg

SKU: *SS2292-26-100P*


22.5" x 9" OFFSET



PCD: 335mm x 10 holes Ø26mm
Offset: Inset 79 / Outset 103
Centre Hole: Ø281.2mm
Wheel Finish: Outside Polished
Max Load: 4125kg

SKU: *SS2293-26-100P*

22.5" x 9" OFFSET



PCD: 335mm x 10 holes Ø32mm
Offset: Inset 79 / Outset 103
Centre Hole: Ø281.2mm
Wheel Finish: Outside Polished
Max Load: 4125kg

SKU: *SS2293-32-100P*



22.5" x 11.75" SUPER SINGLE STEERER

PCD: 285.75mm x 10 holes Ø26mm
Offset: Inset 120 / Outset 145.6
Centre Hole: Ø220mm
Wheel Finish: Outside Polished
Weight: 20kg
Max Load: 4500kg

SKU: *SS285-26-10OP*

**22.5" x 11.75" SUPER SINGLE TRAILER**


PCD: 285.75mm x 10 holes Ø26mm
Offset: Inset 0 / Outset 23
Centre Hole: Ø220mm
Wheel Finish: Both Sides Polished
Weight: 20kg
Max Load: 4500kg

SKU: *ST285-26-10IP*

**22.5" x 11.75" SUPER SINGLE STEERER**

PCD: 335mm x 10 holes Ø26mm
Offset: Inset 120 / Outset 145.6
Centre Hole: Ø281.2mm
Wheel Finish: Outside Polished
Weight: 23.4kg
Max Load: 4500kg

SKU: *SS335-26-10OP*


**22.5" x 11.75" SUPER SINGLE TRAILER**

PCD: 335mm x 10 holes Ø26mm
Offset: Inset 0 / Outset 23
Centre Hole: Ø281.2mm
Wheel Finish: Both Sides Polished
Weight: 23.4kg
Max Load: 4500kg

SKU: *ST335-26-10BP*




22.5" x 11.75" SUPER SINGLE STEERER



PCD: 335mm x 10 holes Ø32mm
Offset: Inset 120 / Outset 145.6
Centre Hole: Ø281.2mm
Wheel Finish: Outside Polished
Weight: 23.4kg
Max Load: 4500kg

SKU: *SS335-32-100P*

22.5" x 11.75" SUPER SINGLE TRAILER



PCD: 335mm x 10 holes Ø32mm
Offset: Inset 0 / Outset 23
Centre Hole: Ø281.2mm
Wheel Finish: Both Sides Polished
Max Load: 23.4kg 4500kg

SKU: *ST335-32-10BP*

LONG SLEEVE NUT

Long Sleeve Chrome Nut for dual wheels.

| Sizes: | SKU: |
|------------------|--------------------|
| • 22x1.5 LH | 62RSNLH 22-1.5 |
| • 22x1.5 | 62RSN 22-1.5 |
| • 7/8 - 11 | 56RSN 7/8-11 |
| • 7/8 - 14 | 56RSN 7/8-14 |
| • 18x1.5 LH | 62RSNLH 18-1.5 |
| • 18x1.5 | 62RSN 18-1.5 |
| • 18x1.5 BUDD LH | 62RSNLH 18-1.5BUDD |
| • 18x1.5 BUDD | 62RSN 18-1.5BUDD |



SHORT SLEEVE NUT

Short Sleeve Chrome Nut for single wheels.

| Sizes: | SKU: |
|------------------|--------------------|
| • 22x1.5 LH | 44RSNLH 22-1.5 |
| • 22x1.5 | 44RSN 22-1.5 |
| • 7/8 - 11 | 44RSN 7/8-11 |
| • 7/8 - 14 | 44RSN 7/8-14 |
| • 18x1.5 LH | 44RSNLH 18-1.5 |
| • 18x1.5 | 44RSN 18-1.5 |
| • 18x1.5 BUDD LH | 44RSNLH 18-1.5BUDD |
| • 18x1.5 BUDD | 44RSN 18-1.5BUDD |



CHROME TRUCK NUT COVER

| Sizes: | SKU: |
|--------|-------|
| • 27mm | 27TNC |
| • 33mm | 33TNC |

17.5" x 6" STEEL

PCD: 225mm x 10 holes Ø26mm
Offset: Inset 176 / Outset 135
Centre Hole: Ø176mm
Wheel Finish: Steel
Weight: 23kg
Max Load: 2500kg

SKU: 1726-10ST



19.5" x 6.5" STEEL

PCD: 222.5mm x 6 holes Ø32mm (Budd)
Offset: Inset 146
Centre Hole: Ø164mm
Wheel Finish: Steel
Weight: 25kg
Max Load: 3000kg


SKU: 1932-6ST



22.5" x 8.25" STEEL

PCD: 335mm x 10 holes Ø26mm
Offset: Inset 145 / Outset 168
Centre Hole: Ø281.2mm
Wheel Finish: Steel
Weight: 29kg
Max Load: 3450kg

SKU: 2283-26-10ST







COATED WHEELS

CHROME WHEELS

When it comes to the rugged demands of the road, your fleet deserves nothing but the best.

That's where our Brandt Chrome aluminum wheels step in, redefining durability and style for trucks and trailers.



CERAMIC WHEELS

Advanced nano-ceramic coating that makes cleaning easy. It effectively repels water, dirt, mud, and other water-based contaminants, keeping your rims pristine.

THE NEW FACE OF COATING TECHNOLOGY
ENQUIRE FOR AVAILABLE SIZES

021 020 62111
sales@brandt.co.nz



AFTER CARE PRODUCTS

Rim Cleaners & Iron Removers

Minimize your truck's downtime with our selection of cleaning and maintenance products. They are user-friendly, highly concentrated, and eco-friendly.

Ensure UV stability even in New Zealand's harshest conditions. Protect your truck's exterior finishes and maintain a professional appearance on the road.

MAGIC WHEEL CLEANER

Suitable for alloy wheels, high-quality chromed, and steel wheels

- Acid-free alloy and high-quality chromed wheel cleaner
- Ready-to-use
- Cleans rims mildly and thoroughly
- Viscous setting
- Reactive colour indicator
- pH 5.5

FALLOUT REMOVER

Thoroughly and gently removes burned in brake dust, rust traces and other inorganic dirt.

- Powerful pH-neutral fallout remover
- Ready-to-use
- Viscous setting
- Reactive colour indicator
- Hydrophobic effect, gloss
- pH 7.5



**KEEP YOUR TRUCK & TRAILER IN STUNNING CONDITION
WITH OUR PREMIUM AFTERCARE PRODUCTS.**



www.brandt.co.nz